

L Number	Hits	Search Text	DB	Time stamp
2	1	((personaliz\$3 or customiz\$3) with (web or brows\$3) with hierarch\$3) same model\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 16:50
1	14	(personaliz\$3 or customiz\$3) with (web or brows\$3) with hierarch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 16:57
3	83	(personaliz\$3 or customiz\$3) same (web or brows\$3) same hierarch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 16:57
4	7	((personaliz\$3 or customiz\$3) same (web or brows\$3) same hierarch\$3) and ((seek\$3 or search\$3) with activit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 16:58
-	3787	partial with evaluat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 09:44
-	53	(partial with evaluat\$4) and (interact\$3 with sequences)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:32
-	1	((partial with evaluat\$4) and (interact\$3 with sequences)) and hierarchy) and dialog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 09:45
-	5	((partial with evaluat\$4) and (interact\$3 with sequences)) and hierarchy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 09:54
-	1	((partial with evaluat\$4) and (interact\$3 with sequences)) and (hierarchy or tree)) and browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 09:55
-	6	((partial with evaluat\$4) and (interact\$3 with sequences)) and (hierarchy or tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:05
-	7048	interact\$3 near3 sequences	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:55
-	20	(partial with evaluat\$4) and (interact\$3 near3 sequences)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:05

-	5	((partial with evaluat\$4) and (interact\$3 near3 sequences)) and (hierarchy or tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:36
-	3504	(interact\$3 near3 sequences) and partial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:36
-	683	((interact\$3 near3 sequences) and partial) and (hierarchy or tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:37
-	43	((((interact\$3 near3 sequences) and partial) and (hierarchy or tree)) and dialog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:37
-	30	(((((interact\$3 near3 sequences) and partial) and (hierarchy or tree)) and dialog) and browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:37
-	7	(((((interact\$3 near3 sequences) and partial) and (hierarchy or tree)) and dialog) and (browser near3 window)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:27
-	13	((((((interact\$3 near3 sequences) and partial) and (hierarchy or tree)) and dialog) and browser) and personaliz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:43
-	51	partial with personaliz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:53
-	2	(interact\$3 near3 sequences) and (partial with personaliz\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:44
-	7224	personaliz\$5 same system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:54
-	327	(personaliz\$5 same system) same model\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:47
-	9	((personaliz\$5 same system) same model\$3) and (interact\$3 near3 sequences)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:58

-	76	(personaliz\$5 same system) and (interact\$3 near3 sequences)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:59
-	2	((personaliz\$5 same system) and (interact\$3 near3 sequences)) and (partial same evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:12
-	23	((personaliz\$5 same system) and (interact\$3 near3 sequences)) and partial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:21
-	1201983	(personaliz\$5 with partial with evaluat\$3) or PIPE	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:23
-	2	(personaliz\$5 with partial with evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:23
-	2	(personaliz\$5 same partial same evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:39
-	10124	model\$3 with interaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:28
-	165	(model\$3 with interaction) and (dialog with user with system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:29
-	41	((model\$3 with interaction) and (dialog with user with system)) and (interact\$4 with sequences)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:33
-	2	((((model\$3 with interaction) and (dialog with user with system)) and (interact\$4 with sequences)) and (partial with evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:31
-	5	((((model\$3 with interaction) and (dialog with user with system)) and (interact\$4 with sequences)) and (partial))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:31
-	36	((((model\$3 with interaction) and (dialog with user with system)) and (interact\$4 with sequences)) not (((model\$3 with interaction) and (dialog with user with system)) and (interact\$4 with sequences)) and (partial))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:50

-	2033	(seek\$3 or search\$3) with interaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:51
-	1128	((seek\$3 or search\$3) with interaction) and (interface or (browser near3 window))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:52
-	536	((((seek\$3 or search\$3) with interaction) and (interface or (browser near3 window))) and (user near3 specif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:53
-	460	(((((seek\$3 or search\$3) with interaction) and (interface or (browser near3 window))) and (user near3 specif\$3)) and (response or answer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:54
-	6	(((((seek\$3 or search\$3) with interaction) and (interface or (browser near3 window))) and (user near3 specif\$3)) and (response or answer)) and (dialog near3 user near3 system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:33
-	28	(((((seek\$3 or search\$3) with interaction) and (interface or (browser near3 window))) and (user near3 specif\$3)) and (response or answer)) and (brows\$3 with activities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:33
-	13	(personaliz\$5 same system) same model\$3 and (brows\$3 with activities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:57
-	7224	(personaliz\$5 same system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:57
-	197	((personaliz\$5 same system)) and (customiz\$3 near3 information near3 user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:59
-	6	((personaliz\$5 same system)) and (customiz\$3 near3 information near3 user)) and lifecycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:01
-	3	((personaliz\$5 same system)) and (partial near3 evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:17
-	4	(personaliz\$3 with web) and (partial near3 evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:18

-	1	((personaliz\$3 with web)) same (partial near\$3 evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:19
-	9	((personaliz\$3 with web)) and (partial same evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:21
-	7	((personaliz\$3 with web)) and (partial\$2 near\$3 evaluat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:21
-	10	(partial with evaluat\$4) and (interact\$3 with sequences) and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 15:25
-	1401	(personaliz\$3 with web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:53
-	14	((personaliz\$3 with web)) and (recreat\$3 with web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:51
-	7	((personaliz\$3 with web)) and (recreat\$3 with web)) and dialog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:52
-	746	(personaliz\$3 same web same content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:53
-	0	((personaliz\$3 same web same content)) and (automat\$5 same adjust same information same content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:54
-	2	((personaliz\$3 same web same content)) and (automat\$5 same adjust same content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:56
-	101	((personaliz\$3 same web same content)) and (personaliz\$3 same "user interface")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:57
-	55	((personaliz\$3 same web same content)) and (personaliz\$3 same "user interface")) and model\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:58

-	7	(((personaliz\$3 same web same content)) and (personaliz\$3 same "user interface")) and model\$3) and (personaliz\$3 with web)) and (recreat\$3 with web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 14:59
-	21	(((personaliz\$3 same web same content)) and (personaliz\$3 same "user interface")) and model\$3) and (personaliz\$3 with web)) and (creat\$3 with web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 15:02
-	15	((((personaliz\$3 same web same content)) and (personaliz\$3 same "user interface")) and model\$3) and (personaliz\$3 with web)) and dialog) and (view\$3 with web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 15:11
-	20	(((personaliz\$3 same web same content)) and (personaliz\$3 same "user interface")) and model\$3) and (personaliz\$3 with web)) and dialog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 15:16
-	1	(((personaliz\$3 same web same content)) and (personaliz\$3 same "user interface")) and model\$3) and (personaliz\$3 with web)) and (partial with evaluat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 15:26
-	38	(((personaliz\$3 same web same content)) and (personaliz\$3 same "user interface")) and model\$3) and (personaliz\$3 with web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/11 16:49